


Hemera

Downlighter

Innovation.
Collaboration.
Illumination.



Indoor Lighting



Overview

The Hemera range of LED downlighters incorporates Philips Fortimo DLM LED technology and are designed to meet the highest of specifications.

The incorporation of various lumen outputs and interchangeable accessories make the downlighter ideal for most commercial and industrial applications.

The satin etched reflector produces a pleasing appearance and the use of optimised thermal management technology results in an expected lifespan of more than 60,000 hours (L70).

The range incorporates four lumen outputs, two colour temperatures, tunable white and smart wireless control options, including Casambi and MyMesh.

Part No.

- For DALI dimmable suffix /DIM
- For Tunable White suffix /TW
- For Casambi enabled suffix /CAS
- For wireless dimmable system suffix /WD
- For 3 hr self-contained emergency suffix /EMR
- For Monitor self-test emergency suffix /MON
- For DALI addressable emergency suffix /EMP
- For wireless addressable emergency suffix /WAE

i.e. **HEM/1890/4/DIM/MON/SG2 =**

Hemera 1889 lumens, 17W,4000K, DALI dimmable c/w Monitor self-test emergency and IP54 centre frost glass

Part No.	Lm	W	Lm/W	H(mm)	CCT
HEM/1010/3	1009	10	105	120	3000K
HEM/1090/4	1090	10	112	120	4000K
HEM/1740/3	1743	17	100	120	3000K
HEM/1890/4	1889	17	108	120	4000K
HEM/2680/3	2675	30	88	120	3000K
HEM/2900/4	2902	31	95	120	4000K
HEM/4180/3	4177	46	90	140	3000K
HEM/4530/4	4532	46	97	140	4000K

More outputs available, see www.LDL.lighting

Key features

- IP20 suitable for internal environments
- Impact rating of IK10 (with SG8 & SG9)
- Efficacy of up to 112lm/W
- Nominal life-time of >60,000 h (L70/B10)
- Colour stability with 3 step MacAdam
- High colour rendering index CRI > 80
- Emergency BLF = 291 lm

For all accessories, see following pages.

Hemera

Downlighter

Innovation.
Collaboration.
Illumination.



Indoor Lighting

Clear drop glass /DG1



Frost outer drop glass /DG2



Frost centre drop glass /DG3



Frost drop glass /DG4



Clear halo drop glass /DG5



Frost halo drop glass /DG6



Frost drop ring /DG7



Blue drop ring /DG8



Black drop ring /DG9



Mesh trim fitted /MT



Indoor Lighting

IP54 clear glass /SG1



IP54 centre frost glass /SG2



IP54 frost glass /SG3



IP54 clear polycarbonate /SG4



IP54 opal polycarbonate /SG5



IP44 prismatic lens /SG6



Universal bezel -
for use with IP65 glasses /UB



IP65 clear glass /SG7



IP65 clear polycarbonate /SG8



IP65 opal polycarbonate /SG9



Frost Hi-Light /HL1



Blue Hi-Light /HL2



White Anti-Tamper Bezel /ATWH

